

Work Order ID 61233

August 11, 2010 11:09:57 AM



Page 1

Item ID: D4151-7

Accept



Setup Start



Revision ID:

Stop



Item Name: Fwd Eyebolt Receiver (Upper)

Start Date: 8/11/10 Start Qty: 6.00



Cust Item ID:

Required Date: 8/25/10 Req'd Qty: 6.00



Customer:

Reference:

Run Start



Approvals: Process Plan: CL Date: 10/8/11 Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4151	B								

100

0.00



Bandsaw

Memo

0.00

Jeaspa Bandsaw

Cut blank to 2.885" long

10/08/21

6

8

110

0.00



HAAS 1

Memo

0.00

HAAS CNC vertical machine #1

1-MILL as per folio FA952 & dwg,
FOLIO REV: AA
DWG REV: B

2-Deburr as required

10/08/22

6

8

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 61233

August 11, 2010 11:09:57 AM

Page 2

Item ID: D4151-7

Accept

Setup Start

Revision ID:

Stop

Item Name: Fwd Eyebolt Receiver (Upper)

Start Date: 8/11/10 Start Qty: 6.00

Cust Item ID:

Required Date: 8/25/10 Req'd Qty: 6.00

Customer:




Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120  QC Quality Control	QC2- Inspect parts off machine FAI/FAIB Memo	0.00 0.00		88 10/08/22		6	0		
130  QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.00		DP 10/08/23		6	0		
140  Packaging Packaging	Identify as per dwg & Stock Location: 124 Memo	0.00 0.00							PC 10/8/25 (6)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 61233

August 11, 2010 11:09:57 AM



Page 3

Item ID: D4151-7

Accept



Setup Start



Revision ID:

Stop



Item Name: Fwd Eyebolt Receiver (Upper)

Start Date: 8/11/10 Start Qty: 6.00



Cust Item ID:

Required Date: 8/25/10 Req'd Qty: 6.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

150

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/08/25 J

CL1018125

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

August 11, 2010 11:09:57 AM

Page 1

Work Order ID: 61233



Parent Item: D4151-7



Parent Item Name: Fwd Eyebolt Receiver (Upper)

Start Date: 8/11/10

Required Date: 8/25/10

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP REV:A NEW ISSUE 10-07-22 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M303B2.000X1.750		Purchased	No				f	16.1512	0.26	1.642105			



303 BAR 2" X 1.750"

Location

Loc Qty

Loc Code

MAT

15.83866

115047

15.83866

MAT53

0.31251

113310

0.31251

1.6432

SP 10/25/21

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
	X		D4151-041	BASKET FWD HARDPOINT ASSY (LOWER)
		X	D4151-043	BASKET FWD HARDPOINT ASSY (UPPER)
1	2		D4151-1	LOWER HARDPOINT PLATE
2		2	D4151-3	UPPER HARDPOINT PLATE
3	1		D4151-5	FWD BASKET INSTL STUD (LOWER)
4		1	D4151-7	FWD EYEBOLT RECEIVER (UPPER)
5	2	2	AN3C13A	BOLT
6	2	2	MS21043-3	NUT
7	4	4	NAS1149C0332R	WASHER

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 61233
C210811

RELEASED
2010-07-16
M


D4151-043 BASKET FWD HARDPOINT ASSY (UPPER)

D4151-041 BASKET FWD HARDPOINT ASSY (LOWER)


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4151-04X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT:
 - D4151-041 = 0.84 lbs
 - D4151-043 = 1.17 lbs

B	ADDED D4151-5/-7 (SHT 3); D4151-5 WAS D3911-1 (ZN B6-1 & D3-1); D4151-7 WAS D3911-3 (ZN C4-1 & D3-1) ITEMS #5, 6 & 7 REPLACE MS20615-4M20 (ZN C3-1, D3-1 & B8-1); Ø0.191 2 PL REPLACES Ø0.129 3 PL (ZN C5-2); Ø0.191 2 PL REPLACES Ø0.129 4 PL (ZN D1-2); REASON: SEE TR-D350-607-2 REV. B.	MB	10.07.05
A	NEW ISSUE	MB	10.06.22
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>[Signature]</i>		
DRAWN	<i>[Signature]</i>		
CHECKED	<i>[Signature]</i>		
MFG. APPR.	<i>[Signature]</i>		
APPROVED	<i>[Signature]</i>		
DE APPR.	<i>[Signature]</i>		
DATE	10.07.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4151 REV. B SHEET 1 OF 3 TITLE BASKET FWD HARDPOINT SCALE NTS <small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>			



0.125 REF
D4151-1 LOWER HARDPOINT PLATE



0.125 REF
D4151-3 UPPER HARDPOINT PLATE



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 61233

RELEASED
2010-07-18
AM



NOTES:

- 1) MATERIAL: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S11GA OR M303S11GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
- 7) WEIGHT:
- D4151-1 = 0.24 lbs
- D4151-3 = 0.23 lbs


DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4151	REV. B
MFG. APPR.			SHEET 2 OF 3
APPROVED		TITLE BASKET FWD HARDPOINT	SCALE
DE APPR.			NTS
DATE	10.07.05	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4151-5 FWD BASKET INSTL STUD (LOWER)



D4151-7 FWD EYEBOLT RECEIVER (UPPER)



SECTION A-A

RELEASED
2010-07-16

NOTES:

- 1) MATERIAL -5: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582
PER DART SPEC M303R OR M304R
- 7: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276 OR ASTM A582
PER DART SPEC M303B OR M304B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY AT ASSEMBLY
- 7) WEIGHT -5: 0.36 lbs
-7: 0.70 lbs

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 61233

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4151	REV. B
MFG. APPR.			SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		BASKET FWD HARDPOINT	NTS
DATE	10:07:05	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

